		4	3	UTAH OIL AND	GAS CONSERVAT	ION CO	MMISSION	١		•	4	
REMARKS:	WELL LOG	ELE	CTRIC LOGSFI	LE X WAT	TER SANDS	LOCATIO	N INSPECTED	OIL WI	ELL s	SUB. REPORT/abd.		-
This	wel	l a	pplication	n was	Trescen	ded	ly ?	the cl.	S.G.	S. on June	10,1	985
DATE FILED		-1-81										
LAND: FEE & F			EASE NO.		PUBLIC LEA	SE NO.	U-38	398		INDIAN		
DRILLING APPE	ROVED: 7	-9 -81										
SPUDDED IN:												
COMPLETED:			PUT TO PRODUCIN	NG:								
INITIAL PRODU	JCTION:					`,						
GRAVITY A.P.I.				· · · · · · · · · · · · · · · · · · ·								
GOR;		_										
PRODUCING Z	ONES:											
TOTAL DEPTH	l:											
WELL ELEVATION	ON:			<u></u>								
DATE ABANDO	NED:	WE	10,1982 L	OCATION	JARAN	1001	JED .	WEIL	NE	er ori	ILE	~
FIELD:	W	ILDCAT	3/86 Nati	ual Bu	the		-			<u> </u>		
UNIT:												
COUNTY:	U	INTAH						-				
WELL NO.	D	UCK CRE	EK 58-8GR				API 1	NO. 43-	-047-31	1019		
LOCATION	2	000 1 F	T. FROM (MA) (S) LINE,	700 '	FT. FROM	(W) LI	NE.	N	V SW	1/4 - 1/4 SEC.	8	
TWP.	RGE.	SEC.	OPERATOR		Ţ	WP.	RGE.	SEC.	OPERATOR			
						9 Ş	20E	8	BELCO	DEVELOPMEN	r corp	·


SUBMIT IN TRANSPORT (Other instructions on reverse side)

UNITED STATES DEPARTMENT OF THE INTERIOR

Form approved. Budget Bureau No. 42-81425.

BELCO DEVELOPMENT CORPORATION 3. ADDRESS OF OFERATOR P. O. BOX X, VERNAL, UTAH 84078 4. LOCATION OF WILL (Report location clearly and in accordance with any State requirements.*) At surface At surface At proposed prod. Zone SAME 4. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE* APPROX 3 MILES SOUTHWEST OF OURAY, UTAH 15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, it any) TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THE LEASE, FT. 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4788' Natural GI. SIZE OF HOLE SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 1981 EE ATTACHMENTS FOR: (1) LOCATION Plat	PCAT Ideat		
SURPACE UTE 7 TITE OF WORL DEPEN DRILL XX DEEPEN DRILL XX DEEPEN DRILL XX DEEPEN DRILL XX DEEPEN DRILL XX OAB DEEPEN DOTHER SINGLE DRILL XX OAB DEEPEN DRILL XX OA	PRIBE DCAT Ideat R20E STATE		
DRILL XX DEEPEN D PLUG BACK D. THER SINGLE SINGLE DUCK CREEK D. AMB 60 OF SERATOR BELCO DEVELOPMENT CORPORATION ADDRESS OF GYERATOR P. O. BOX X, VERNAL, UTAH 84078 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) At surface 7,00' FWL & 2000' FSL NW/SW At proposed prod. zone SAME 4. DISTANCE IN MILES AND DEBECTION FROM NEAREST TOWN OR POST OFFICE* APPROX 3 MALES SOUTHWEST OF OURAY, UTAH APPROX 3 MALES SOUTHWEST OF OURAY, UTAH DISTANCE FROM PROPOSED* FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED BOX, ON THE WELL TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED BOX, ON THE WELL BLEVATIONS (Show whether DF, RT, GR, etc.) 4 788' Natural GL TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED BOX, ON THE WELL TO NEAREST WELL, DRILLING, COMPLETED, SETTING DEPTH BLEVATIONS (Show whether DF, RT, GR, etc.) 4 788' Natural GL TO NEAREST WELL, DRILLING, COMPLETED, SETTING DEPTH BLEVATIONS (Show whether DF, RT, GR, etc.) 4 788' Natural GL TO NEAREST WELL, DRILLING, COMPLETED, SETTING DEPTH BLEVATIONS (Show whether DF, RT, GR, etc.) 4 788' Natural GL TO NEAREST WELL, DRILLING, COMPLETED, SETTING DEPTH BLEVATIONS (Show whether DF, RT, GR, etc.) 4 788' Natural GL TO NEAREST WELL, DRILLING, COMPLETED, SETTING DEPTH BLEVATIONS (Show whether DF, RT, GR, etc.) 4 788' Natural GL TO NEAREST WELL TO SULT ACCE. TO SULT OF CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUARTITY OF CEMENT, F. S. ACCE. TO SULT ACCE.	PCAT I/dcat R20E STATE		
D. TYPE OF WELL OIL TX OAR WELL OTHER SINGLE ZONE SINGLE ZONE BELCO DEVELOPMENT CORPORATION 3. ADDRESS OF OFERATOR P. O. BOX X, VERNAL, UTAH 84078 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) At proposed prod. zone SAME 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) At proposed prod. zone SAME 4. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* APPROX 3 Milles SOUTHWEST OF OURAY, UTAH 10. DISTANCE FROM PROPOSED* LOCATION TO NEAREST WELL, DELILING, COMPLETED, OR APPLIED FOR, OR THIS HEARS, FT. 11. NO. OF ACRES IN LEASE TO NEAREST WELL, DELILING, COMPLETED, OR APPLIED FOR, OR THIS HEARS, FT. 21. ELEVATIONS (Show whether DF, RT, GR, etc.) PROPOSED CASING AND CEMENTING PROGRAM 12. 1/4" 9 5/8" 36# 200' Cement to SULFACE FOR CASING AND CEMENT'S FOR: MAY1 1981 EE ATTACHMENTS FOR: MAY1 1981 MAY1 1981 EE ATTACHMENTS FOR: MAY1 MULTITILE S. PARN OF LEASE NAME . BULCO DEVELOPMENT CORPORATION 5 NEELS OF CASING WEIGHT PRE FOOT SETUND DEPTH TO NEAREST WELL, DELILING, COMPLETED, OR APPLIED FOR, ON THIS HEARS, FT. SIZE OF HOLE SIZE OF CASING WEIGHT PRE FOOT SETUND DEPTH TO SULFACE SIZE OF HOLE SIZE OF CASING WEIGHT PRE FOOT SETUND DEPTH TO SULFACE TO SULFACE SIZE OF HOLE SIZE OF CASING WEIGHT PRE FOOT SETUND DEPTH TO SULFACE TO SULF	PCAT i/dcat R20E		
OTHER SINGLE DOWN MULTIPLE 2. NAME OF OPERATOR BELCO DEVELOPMENT CORPORATION 3. ADDRESS OF OPERATOR P. O. BOX X, VERNAL, UTAH 84078 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) At surface 7.00. FWL & 2000. FSL NW/SW At proposed prod. zone SAME 4. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE. APPROX 3 Males SOuthwest of Area. APPROX 3 Males SOuthwest of Formation To Nearest Town or Parent Town Or Access in Lease 12. COUNTY OR Parent 13. 13. DISTANCE FROM PROPOSED. 14. DISTANCE FROM PROPOSED. 15. DISTANCE FROM PROPOSED LOCATION? TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THE LEASE, FT. (Also to nearest drig. unit line, if any) 70.0 APPLIED FOR, ON THE LEASE, FT. (Also to nearest drig. Unit line, completed, or Applied From Proposed Location? 70. REAL RO. 15. DISTANCE FROM PROPOSED. 20. ROTARI OR CABLE TOOLS ROTARI OR CABLE TOOLS ROTARI OR CABLE TOOLS 22. APPROX. DATE WORK W. 23. ELEVATIONS (Show whether DF, RT, GR, etc.) 4788. Natural GI. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT FER FOOT SETTING DEPTH QUANTITY OF CEMENT. 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4788. Natural GI. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT FER FOOT SETTING DEPTH QUANTITY OF CEMENT. 12. LOUNTS OF CABLE TOOLS ROTARI OR CABLE TOOLS 8 20. BILL RO. 19. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT FER FOOT SETTING DEPTH QUANTITY OF CEMENT. 12. LOUNTS OF CABLE TOOLS 13. SIZE OF HOLE SIZE OF CASING WEIGHT FER FOOT SETTING DEPTH QUANTITY OF CEMENT. 14. DISTANCE TO THE WORK W. 15. SIZE OF HOLE SIZE OF CASING WEIGHT FER FOOT SETTING DEPTH QUANTITY OF CEMENT. 16. NO. OF ACRES IN LEASE, FT. 17. NO. OF ACRES ASSIGNAND TO NEAREST WELL ROLL TO THE WORK W. 18. DISTANCE TO THE WEIGHT FOR TOWN TOWN TOWN. 19. PROPOSED DEPTH SET TOWN TOWN TOWN TOWN TOWN TOWN TOWN TOW	PCAT i/dcat R20E		
BELCO DEVELOPMENT CORPORATION ADDRESS OF OFFRATOR P. O. BOX X, VERNAL, UTAH 84078 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) At surface 7.00' FWL & 2000' FSL NW/SW At proposed prod. zone SAME SEC. 8, T9S. 4. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* APPROX 3 MILES SOUTHWEST OF OURAY, UTAH 12. COUNTY OF PARISH 13. APPROX 3 MILES SOUTHWEST OF OURAY, UTAH 15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPESTOR LOCATION* TO NEAREST WELL, DRILLING, FI. (Also to nearest drig. unit line, if any) TO MEANIST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THE LUMB, FY. APPROX SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH 12. 1/4" 9 5/8" 36# 200' Cement to SUFface 8 3/4" 5 1/2" 17# 5461' MAY1 1981 EE ATTACHMENTS FOR: (1) LOCATION Plat	PCAT i/dcat R20E		
BELCO DEVELOPMENT CORPORATION ADDRESS OF OFFRATOR P. O. BOX X, VERNAL, UTAH 84078 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) At surface 7.00' FWL & 2000' FSL NW/SW At proposed prod. zone SAME SEC. 8, T9S. 4. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* APPROX 3 MILES SOUTHWEST OF OURAY, UTAH 12. COUNTY OF PARISH 13. APPROX 3 MILES SOUTHWEST OF OURAY, UTAH 15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPESTOR LOCATION* TO NEAREST WELL, DRILLING, FI. (Also to nearest drig. unit line, if any) TO MEANIST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THE LUMB, FY. APPROX SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH 12. 1/4" 9 5/8" 36# 200' Cement to SUFface 8 3/4" 5 1/2" 17# 5461' MAY1 1981 EE ATTACHMENTS FOR: (1) LOCATION Plat	PCAT i/dcat R20E		
DEDES OF OPERATOR P. O. BOX X, VERNAL, UTAH 84078 Location of well (Report location clearly and in accordance with any State requirements.*) At surface 700' FWL & 2000' FSL NW/SW At proposed prod. zone SAME 4. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* APPROX 3 MILES SOUTHWEST OF OURAY, UTAH 15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST FROM TOO NEAREST TOWN OR POST OFFICE* APPROX 1 MILES SOUTHWEST OF OURAY, UTAH 16. NO. OF ACEES IN LEASE LINE, FT. (Also to nearest drig. unit line, if any) 70.0 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DISTANCE, FROM, ON THIS LEASE, FT. (Also to nearest drig. unit line, if any) TO NEAREST WELL, DISTANCE, FROM, ON THIS LEASE, FT. 20. ROTARI OR CABLE TOOLS ROTARY 22. APPROX. DATE WORK WITH STATEMENT OF CEMENT. 3. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT FER FOOT SETTING DEPTH QUANTITY OF CEMENT. 12 1/4" 9 5/8" 36# 200' Cement to surface 8 3/4" 5 1/2" 17# 5461' MAY1 1981. EE ATTACHMENTS FOR: (1) Location Plat	ildeat R20E		
P. O. BOX X, VERNAL, UTAH 84078 1. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) At surface 7.00' FWL & 2000' FSL NW/SW At proposed prod. zone SAME 4. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE* APPROX 3 MILES SOUTHWEST OF OURAY, UTAH 10. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPOSED* LOCATION TO NEAREST PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4788' Natural GL. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT FER FOOT SETTING DEPTH QUANTITY OF CEMENT SETTING DEPTH QUANTITY OF CEMENT SETTING DEPTH COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. SIZE OF HOLE SIZE OF CASING WEIGHT FER FOOT SETTING DEPTH QUANTITY OF CEMENT COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. SIZE OF HOLE SIZE OF CASING WEIGHT FER FOOT SETTING DEPTH QUANTITY OF CEMENT COMPLETED, OR APPLIED FOR, OR THE SIZE OF CASING WEIGHT FER FOOT SETTING DEPTH QUANTITY OF CEMENT COMPLETED, OR APPLIED FOR, OR THIS LEASE, FT. SIZE OF HOLE SIZE OF CASING WEIGHT FER FOOT SETTING DEPTH QUANTITY OF CEMENT COMPLETED, OR APPLIED FOR, OR APPLIED FOR, OR THE SIZE OF CASING WEIGHT FER FOOT SETTING DEPTH QUANTITY OF CEMENT COMPLETED, OR APPLIED FOR, OR APPLIED FOR COMPLETED, OR APPLIED FOR COMPLETED	ildeat R20E		
At surface 7.00' FWL & 2000' FSL NW/SW At proposed prod. zone SAME 4. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE* APPROX 3 MILES SOUTHWEST OF OURAY, UTAH 5. DISTANCE FROM PROPOSED* LOCATION TO NEAREST TORE ASSIGNED TO THIS WELL PROPOSED TO REALEST TORE ASSIGNED TO THIS WELL AD DISTANCE FROM PROPOSED* LOCATION TO NEAREST TO LEASE LINE, FT. (Also to nearest drig. unit line, if any) 3. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 3. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 3. ELEVATIONS (Show whether DF, RT, GR, etc.) 4788' Natural GI. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT. 12 1/4" 9 5/8" 36# 200' Cement to surface 8 3/4" 5 1/2" 17# 5461' EE ATTACHMENTS FOR: (1) LOCATION Plat	R20E		
At proposed prod. zone SAME At proposed prod. zone SAME A DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* APPROX 3 MILES SOUTHWEST OF OURAY, UTAH 15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (16. NO. OF ACEES IN LEASE TO TO THIS WELL PROPERTY OR LEASE LINE, FT. (17. NO. OF ACEES ASSIGNED TO THIS WELL TO THIS WELL TO MEANEST WELL, DRILLINE, COMPLETED, OR APPLED FOR, OR THIS LEASE, FT. 20. ROTARN OR CABLE TOOLS ROTARY 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4788 ' Natural GL PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT. 12 1/4" 9 5/8" 36# 200' Cement to Surface 8 3/4" 5 1/2" 17# 5461' EE ATTACHMENTS FOR: (1) Location Plat	R20E		
At proposed prod. zone SAME 4. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE* APPROX 3 MILES SOUTHWEST OF OURAY, UTAH 15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PEODERTY OR LEASE LINE, FT. (Also to DEARSE LINE, FT. (Also to DEARSE LINE, FT. (Also to DEARSE LINE, FT. (Also to DEARSE LINE, FT. (Also t	STATE		
APPROX 3 MILES SOUTHWEST OF OURAY, UTAH 10. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig, until line, if any) 13. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON TRISI LEASE, FT. 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 22. APPROX. DATE WORK WITH STATES AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE OF HOLE SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE OF HOLE SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE OF HOLE SIZE OF HOLE SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE OF HOLE SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE	STATE		
APPROX 3 MILES SOUTHWEST OF OURAY, UTAH 5 UINTAH 15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any) 16. NO. OF ACRES ASSIGNED TO THIS WELL 40 19. PROPOSED DEPTH TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 22. APPROX. DATE WORK WI 23. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH 12 1/4" 9 5/8" 36# 200' Cement to surface 8 3/4" 5 1/2" 17# 5461' MAY1 1981 EE ATTACHMENTS FOR: (1) Location Plat			
16. NO. OF ACRES IN LEASE LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any) 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 22. APPROX. DATE WORK WI 23. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH 12 1/4" 9 5/8" 36# 200' Cement to surface 8 3/4" 5 1/2" 17# 5461' MAY1 1981 LEE ATTACHMENTS FOR: (1) Location Plat	UTAH		
LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any) 13. DISTANCE FROM TROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 20. ROTARY OR CABLE TOOLS ROTARY 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4788' Natural GI. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH 12 1/4" 9 5/8" 36# 200' Cement to surface 8 3/4" 5 1/2" 17# 5461' SAVING THIS WELL 40 20. ROTARY OR CABLE TOOLS ROTARY 22. APPROX. DATE WORK WITH STATE OF CEMENT 23 22. APPROX. DATE WORK WITH STATE OF CEMENT 24 25 APPROX. DATE WORK WITH STATE OF CEMENT 25 APPROX. DATE WORK WITH STATE OF CEMENT 26 APPLICATION OF CEMENT 27 APPROX. DATE WORK WITH STATE OF CEMENT 28 APPROX. DATE WORK WITH STATE OF CEMENT 29 APPROX. DATE WORK WITH STATE OF CEMENT 20 APPROX. DATE WORK WITH STATE OF CEMENT 36 APPLICATION OF CEMENT 4788' Natural GI. 4788' Natural GI. 5461' SAVING THIS WELL 40 20. ROTARY OR CABLE TOOLS ROTARY 20 ROTARY OR CABLE TOOLS ROTARY 21 PROPOSED LASING AND CEMENTING PROGRAM APPLIED TO THE WORK WITH TOOLS APPLIED TO THE WORK WITH			
(Also to nearest drig, unit line, if any) 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 22. APPROX. DATE WORK WITH SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH 12. 1/4" 9. 5/8" 36# 200' Cement to surface 8. 3/4" 5. 1/2" 17# 5461 MAY 1. 1981 EEE ATTACHMENTS FOR: (1) Location Plat			
OR APPLIED FOR, ON THIS LEASE, FT. 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4788' Natural GI. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT FOR SETTING DEPTH 12 1/4" 9 5/8" 36# 200' Cement to surface Surface Setting Depth Setting D			
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4788' Natural GI. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT: 12 1/4" 9 5/8" 36# 200' Cement to surface 8 3/4" 5 1/2" 17# 5461' EE ATTACHMENTS FOR: (1) Location Plat			
4788' Natural GL PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 12 1/4" 9 5/8" 36# 200' Cement to surface 8 3/4" 5 1/2" 17# 5461' SAFATI TENT CEMENT FOR: EE ATTACHMENTS FOR: (1) Location Plat			
SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 12 1/4" 9 5/8" 36# 200' Cement to surface 8 3/4" 5 1/2" 17# 5461' Septiment Cement Cement Cement Cement (1) Location Plat	LL START		
SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT 12 1/4" 9 5/8" 36# 200' Cement to surface 8 3/4" 5 1/2" 17# SHATTACHMENTS FOR: (1) Location Plat			
12 1/4" 9 5/8" 36# 200' Cement to surface 8 3/4" 5 1/2" 17# 5461' Safety Green R format 1981 (1) Location Plat			
8 3/4" 5 1/2" 17# 5461' Sement to surrace start to surrac			
EE ATTACHMENTS FOR: (1) Location Plat			
EE ATTACHMENTS FOR: (1) Location Plat			
(1) Location Plat	iver		
(1) Location Plat	±		
(1) Location Plat			
(1) Location Plat			
	<i>.</i> (1)		
(2) 10 Point Program DIVISION OF 1	9.4		
(3) BOP Design OIL, GAS & MINING FOR STATE			
(4) 13 point surface use plan w/additional provisions by the BIA			
(5) Location Layout sheet w/topop maps A & B			
(6) Production facilities schematic			
APPROVED BY THE R	PATE		
OF LITAH DIVISION	OF		
OIL GAS AND MINI	NG		
	140		
IN ADOLE SPACE DESCRIBE PROPOSED PROCESM. If proposed is to deepen or ping book give date on procest productions and described a			
IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present product and local proposal is to drill or deepen directionally, give pertinent data on subsurface locations will measure the contract of the proposal is to drill or deepen directionally, give pertinent data on subsurface locations will measure the contract of the proposal is to drill or deepen directionally, give pertinent data on subsurface locations.	mroducts.		
preventer program, if any.	productive		
	productive		
SIGNED DISTRICT Engineer 5 DATE 4-30-	productive t		
(This space for Federal or State office use)	productive t		
- 1987년 - 1985년 - 1987년 - 1987 - 1987년 - 1987	productive t		
PERMIT NO APPROVAL DATE	productive t		
	productive t		
APPROVED BY	productive t		

T9S, R2OE, S.L.B. &. M.



X = Section Corners Located

BELCO DEVELOPMENT CORP.

Well location, DUCK CREEK 58-8 GR, located as shown in the NW 1/4 SW1/4 Section 8, T9S, R2OE, S.L.B.&M., Uintah County, Utah.

Company (S)

CERTIFICATE


THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF,

REGISTERED LAND SURVEYOR REGISTRATION № 3137

STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING P.O. BOX Q - 110 EAST - FIRST SOUTH VERNAL, UTAH - 84078

	RK, BK	n s	GEO FEA
PARTY		RS	REFERENCES GLO PLA
ALE	1"= 1000'		4/22/8I



United States Department of the Interior
Geological Survey
2000 Administration Bldg.
1745 West 1700 South
Salt Lake City, Utah 84104

NEPA CATEGORICAL EXCLUSION REVIEW

PROJECT IDENTIFICAT	ION		
Operator Belco	Development Corp.		
Project Type Oil	Well Development		
Project Location	700' FWL 2000' FSL	Section 8, T. 9S, R. 20E	
Well No. 58-8	Le	ease No. <u>U-38398</u>	
Date Project Submit	ted <u>May 1, 1981</u>		
FIELD INSPECTION	Date <u>May 29, 198</u>	<u>.</u>	
Field Inspection Participants	Craig Hansen	USGS, Vernal	
_	Lynn Hall	BIA, Ft. Duchesne	
·	Rick Schatz	Belco Corp.	
· .		·	
. <u>.</u> –			
Related Environment	al Documents:		
guidelines. This p	roposal would not invo	ce with the categorical exclude any significant effects the categorical exclusions.	and, there-
June 9, Date Pre	<u>1981</u> pared	Environmental Scientification	entist
I concur	5 1981	WMartens	FOR E. W. GUYNN DISTRICT ENGINEER
Dat	e	District Supervis	sor

Typing In ____6-9-81

RECOMMENDED STIPULATIONS FOR BELCO #58-8

- 1. Operator will adhere to standard BIA surface stipulations.
- 2. Operator will paint production facilities a tan color to blend in with the natural surroundings.
- 3. Topsoil will be piled on the northwest corner of the location to insure rehabilitation efforts.
- 4. 28" culvert will be placed at entrance of existing road and access road.
- 5. Water existing road to reduce dust pollution.

CATEGORICAL EXCLUSION REVIEW INFORMATION SOURCE

		/ Feder	al/State A	gency	Local and private		Other			
	Criteria 516 DM 2.3.A	Corre- spondence (date)	Phone check (date)	Meeting (date)	corre- spondence (date)	Previous NEPA	studies and reports	Staff expertise	Onsite inspection (date)	Other
_	Public health and safety	BiA-11-81							5-29-81	
	Unique characteristics							2	2,46	
•	Environmentally controversial	1					1	ン	2,46	
•	Uncertain and unknown risks	/					2	2	2,4,6	,
•	Establishes precedents						·	2	2,46	
). 	Cumulatively significant	1						2	246	
; <u>.</u>	National Register historic places	. /								
:•	Endangered/ threatened species	1								
}.	Violate Federal, State, local, tribal law	/								

CATEGORICAL EXCLUSION REVIEW COMMON REFERENCE LEGEND

- 1. Surface Management Agency Input
- 2. Reviews Reports, or information received from Geological Curvey (Conservation Division, Geological Division, Water Resource Division, Topographic Division)
- 3. Lease Stipulations/Terms
- 4. Application Permit to Drill
- 5. Operator Correspondence
- 6. Field Observation
- 7. Private Rehabilitation Agreement



United States Department of the Interior BUREAU OF INDIAN AFFAIRS

UINTAH AND OURAY AGENCY

Fort Duchesne, Utah 84026

(801) 722-2406 Ext. #202

IN REPLY REFER TO: Land Operations, SMC

June 4, 1981

Mr. Craig Hansen U.S. Geological Survey Conservation Division P.O. Box 1037 Vernal, Utah 84078



Dear Mr. Hansen:

Enclosed are Negative Declarations and Environmental Analysis for 12 Belco Development Corporation Well locations identified by Well No's 55-9, 54-9, 51-8GR, 52-16, 43-17GR, 44-17GR, 48-17GR, 46-17GR, 18-20GR, 47-17GR, 58-8GR, and 50-17GR.

The Operator's Surface Use and Operating Plan is adequate with the modification made at the on-site inspection and recorded in the U.S.G.S. Environmental Assessments.

The general stipulations (BIA) on file with your office and stipulations listed under item 4, Mitigating Measures, of each Environmental Analysis, are conditions of approval.

Sincerely yours,

Superintendent

Enclosure

Memorandum

то : Acting Realty Officer

DATE: June 9, 1981

FROM : Soil Conservationist

SUBJECT: Environmental Analysis and Negative Declarations

Enclosed are Environmental Analysis and Negative Declarations

for Belco Development Corp. to drill gas wells near Ouray, Utah.

R. Lynn Hall

FY: '81-94, '81-100, '81-95, '81-101, '81-96, '81-102, '81-97, '81-103, '81-98, '81-104, '81-99, '81-105

Unital and Oursy Autroy Divarramental Analysis and Regative Declaration

1.	Description of Proposals
	Belco Development Corp. Proposes to drill an Oil will 58-8GR
	to a proposed depth of 5461 feet; to construct approximately 0.1 miles of new accres road;
•	and upgrade approximately none miles of existing access road. The well site is located approximately
	3 miles SW of Ouray, with in the NWSW .sec. 8 .7 95 .R 20E . SLM.
2.	
	The area is used for livestock grazing, wildlife, scenic, hunting, Oil & Gas
	drilling and production . The topography is .
	undulating mesa top . The westation consists of
	Indian ricegrass, rabbitbrush, 4-winged saltbush, horsebrush, russian
	thistle
	. The area is used as wildlife inditat for X deer, X antelique,clk,,
	bear, X small enimals, pheasant X down, sage grouse, miffle grouse, bild grouse, bald oxyle X.
	golden ougle, other_coyotes, waterfoul, small rodents, reptiles
	. The climate is characterized by having cold smory winters and warm dry summers. Now, pro-
	tures range from -40°F during the winter to 165°F in the summer. The approximate around precipitation is 6.8
	inches. The elevation is 4788 feet.
_	
1.	Environmental Impacts: During construction of the well dust and exhaust existions will affect air quality. Soil and vegetation will be re-
	soved from 3.5 acres of land compiled by the well site and access road. The disturbance of the soil and removal of wegetation will:
	A. Destroy wildlife habitat for: Xdeer,X antelops, elk, bear, Xsmall mennels, pheasart,X dove, sage grouse,
	ruffle gross, him gross, grabbit, golden sogle, bald sogle, other coyotes, rodents, reptiles
	S. Remove from production: X rangeland for livestock grazing, irrigated cropland, irrigated pastureland, prime
	tisterland, pinion-junione land. X potential irrigated cropland.
	C. Result in the invasion of arruel weeks and will cause accellerated soil erosion: During the construction and pro-
	duction of the well human activity in the area will increase significantly. This is expected to significantly in-
	crease: X praching of wildlife, X disturbance of wildlife, X worldliss of property, theft of fire-cod X litter accumu-
	lations, y livestock disturbance, y livestock thafts, X livestock loss to accidents, X increase the hazard to public
	- health and safety. There is a high, y moderate, slight possibility that pollution from this activity will enter
	a strum or lake.
	Production facilities can easily be seen from as_community, X major highesy_public facility
4.	Mitigating mossures:
	To lesses the impact on the environment the provisions stipulated in the letter to Mr. 24 M. Cayon, District Provincer,
	U.S. Geological Survey, dated February 13, 1902 will be implemented. Additional stimulations and charges to the 13
	point surface use plan are: (1) Obtain right-of-way and required permits from the BIA.
٠.	(2) Compensate the surface owner for all damages. (3) Comply with all USGS, BIA,
	and Tribal Regulations and Ordinance. (4) Assume a continuing responsibility
	for operation and maintenance or roads, culverts, pipelines, and other facilities
	(5) Take measures to prevent or reduce erosion, and revegetate all disturbed
	surface areas according to BIA Specifications. (6) Comply with operating plan as modified at on-site evaluation and recorded in USGS EA# 445-81
	92 WORTHIER OF OURSITE ENGINATION WHO LECOLDED IN DOOD IN 442.01

LEASE NO. 38-398 WELL NO. Belco 58-8GR.

FY: '81-104

- S. Unavoidable adverse effects lated in item #3 above can be evoided in a practile every except those which were minimized in item #4 above.
- 6. Pelationship between short term and longtam productivity:

As long as oil or gas wells are producing and the access roads are retained there will be a total loss of production on the land and the Environmental Especia will continue to affect the aurounding area. Notwally oil and gas wells produce from 15 to 30 years. After the wells stop producing it is standard policy to restore the surface to near its original condition. Occasionally the site compiled by the well or road can be restored to produce as such as it originally produced, but most of the time it can not be restored to its original productive capacity. Therefore, the land surface productive shillty will be personantly decayed.

7. Irreversible and Irretrievable commitment of Matheral Resources:

There are two irreversible and irretrievable resources commit in this action.

- A. Oil or Cas: Oil and gas is a non-removable resource. Once it has been removed it can never be replaced.
- B. Demage to the land surface: There are three causes of damage to the soil surface due to oil or gas wells and road construction. (1) Gravel is normally healed onto the site as a pad foundation for equipment and traffic to operate on. Gravel has low fertility and low waterholding capacity. Therefore, after the site is restored the gravel must either be removed, or incorporated into the natural landscape. (2) Chemicals are often either accidently spilled or intentionally applied to the site for weed and dust control. Generally the chemicals are crude oil or production water, which may contain as much as 20,000 PPM of salts. Once chemicals become incorporated in the soil they are difficult to remove and interfere with the soils shillty to produce vegetation. (3) Soil compaction occurs where the site is subject to strong wet weather and traffic from heavy trucks and equipment. Each of the above items cause soil damage and after the site is restored the productive shillty of the soil will be damaged paramently.

2. Alternatives:

- A. No. progress This alternative refuses the authorization of the application for pensit to drill. This action would not allow the operator to enter upon the land surface to drill for oil or gas. Because the minerals usually connot be developed without encroachest on the surface, the mineral estate is normally and traditionally designated as dominant, and the surface operating subservient. The mineral operator's conduct is generally prescribed only by the rule of reasonableness and the limitations that he is not permitted to act in a wanton or negligent manner. Within their confines, the operator has considerable latitude in the necessary use of the surface to produce and develop the mineral estate. Therefore if the application for pensit is not signed, the operator would unionitally initiate court proceedings against the surface owner, in this case the Ute Trille and the bureau of Indian Affairs. Historically the courts have upheld the right of the sineral owner to develop the mineral resource regardless of the surface owners desire, therefore the operators rights will likely be upheld if S.I.A. refuses to sign the application for pensit to drill this well.
- 8. Sign the application for panelt to drill. This alternative authorizes the operator to drill for oil or yes as prescribed in the application, providing he complies with stipulations which are considered reasonable as specified in paragraph 6 above under mitigating measures.

Consultations	
Craig Hansen - USGS, Vernal, Utah	
Rick Schatz - Belco Development Corp.	

R. Lynn Hall 6-4-81

Ma (conour vi	ith or, recommend) approval of the Application for Permit to Drill the subject well.
Based on avai	liable information $5-28-81$, we have classed the proposal location in the following areas of envi-
rormental im	picts
X b	_Listed threstened or endingered species
X x	_ critical wildlife habitat
Yes X No	Mistorical or cultural resources
Yest No	Air quality aspects (to be used only if project is in or adjacent to a Class I area of attainment)
Yes No	Other (if monstary)
Report No.	
	Other (if necessary)
y suriac	me protection and rehabilitation requirements are a scified above.
	7 Lynn Hall 6-4-8

11. Declaration:

It has been determined that the drilling of the above well is not a Packeral action significantly affecting the quality of the environment as would require the preparation of an environmental statement in accordance with Section 102 (2) (c) of the National Environmental Policy Act of 1969 (42 USC 4331) (2) (c).

Superintendent

FROM: : DISTRICT GEOLOGIST, E, SALT LAKE CITY, UTAH

: DISTRICT ENGINEER, O&G, SALT LAKE CITY, UTAH

LEASE NO. U-38398 SUBJECT: APD MINERAL EVALUATION REPORT

WELL NO. 58-86R OPERATOR: <u>Relco</u>

LOCATION: C NW & SW & sec. 8, T. 95., R. 20E, SCM

Uintah county, Utah

1. Stratigraphy:

Uintah surface Green River 1995 TD 5460

2. Fresh Water:

Fresh water may be present in the Uintah

3. Leasable Minerals:


Oil shale: Green River (-2000' to -3800'). The Mahogany zone should occur at ~ 2800'.


Saline Minerals: Green River. These may occur as pods in a 800' rock interval immediately overlying the Mahogary Oil/Gas: lower Green River


- 4. Additional Logs Needed: Acle quate
- 5. Potential Geologic Hazards: None expected
- 6. References and Remarks:



Tregory W. Wood Date: 5-7-81







10 POINT PROGRAM

1. GEOLOGIC SURFACE FORMATION:

Uinta formation of the Upper Eocene Age

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta Surface Green River 1996'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Uinta Sand and shale, possible water Green River Sand and shale, anticipate oil

4. PROPOSED CASING PROGRAM:

a) Surf Csg: 9 5/8", 36#, K-55 to 200', cement to surface

b) Prod Csg: 5 1/2", 17# K-55 to TD, will use enough cement to cover 200' over top of Green River formation

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

The operators minimum specifications for pressure control equipment are as follows: 10", 3000 PSI hydraulic doublegate BOP or the equivalent. Pressure tests of BOP to 1000# will be made prior to drilling surface plug and on each trip for bit.

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

It is proposed that the hole will be drilled to approx. 4000' with 3% KCL water in order to clean the hole. From 4000' to TD it is planned to drill the well with mud. The mud system will be a water based, gel-chemical mud, weighted up to 10.5 ppg as required for gas control.

7. AUXILIARY EQUIPMENT TO BE USED:

Auxiliary equipment to be used will be a 2", 2000 PSI choke manifold and kill line, stabbing valve, kelly cock and visual mud monitoring.

8. TESTING, LOGGING AND CORING PROGRAMS:


No coring or drill stem testing has been scheduled for this well. The logging will consist of DLL, CNL, FDC and Gamma Ray w/caliper.

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

It is not anticipated that abnormal pressures or temperatures will be encountered, nor that any other abnormal hazards such as H₂S gas will be encountered.

10. ANTICIPATED STARTING DATE AND DURATION OF OPERATIONS:

Anticipated starting date is 8-20-81. Drilling operations should be complete 2.1/2 weeks after they commence.



13 Point Surface Use Plan

DUCK CREEK FIELD

NATURAL DUCK FIELD

DC	43-17GR
DC	44-17GR
DC	45-17GR
DC	46-17GR
DC	47-17GR
DC	48-17GR
DC	49-17GR
DC	50-o7GR
DC	51-8 GR
DC	56-8,GR
DC	57-8 GR
DC	58-8GR
DC	59-8GR

ND 15-21GR ND 16-20GR ND 17-20GR ND 18-20GR ND 19-20GR ND 20-20GR ND 21-20GR ND 22-20GR

ND 23-20GR

1. EXISTING ROADS

- A. For the location of the proposed well sites and existing roads, see the Topo maps marked "B", attached to the APD's. All the proposed wells are located in Sections 8, 17, 20 and 21, T9S, R2OE, Uintah County, Utah. All wells are within 5 to 6 miles of Ouray, Utah.
- B. The county road running south from Ouray, Utah takes you directly into Sections 8,17, 20 and 21 where these proposed wells are located. All access roads branch out from this county road.
- C. The proposed access roads are outlined in detail on the Topo Maps marked "B" attached to each individual APD.
- D. See Topo Maps "B".
- E. Not applicable.
- F. Access to the proposed well sites will be over the existing county road except for the proposed access roads. The proposed access roads will be crowned and ditched so as to accomodate rig traffic.

2. PLANNED ACCESS ROADS

See the Maps attached to each APD.

The planned access roads will comply with the general specifications as outlined.

- A. Proposed access roads will be 32 foot crown roads, usable 16 feet on either side of the centerline, with drain ditches along either side of the proposed roads, where it is determined necessary in order to handle any run off from the normal weather conditions prevalent to this area.
- B. Maximum grades of the proposed access roads will be 3% and will not exceed that amount.
- C. No turnouts are planned for the length of the proposed access roads, so additional cut disturbances will be kept to a minimum. Line of site vision is such that turnouts are unnecessary.
- D. Drainage design of the proposed roads will avoid unnecessary disturbance of the natural run off patterns. Drainage will be implemented so as not to cause siltation or accumulate any debris.
- E. Surfacing material shall be the native borrow material from the cut areas and will be used to stabilize the road surfaces and the locations. No other material for construction is anticipated.
- F. No fences will be crossed in order to access the proposed locations; No cattle guards will be needed.

G. The roads have been centerline staked for the full distance of the proposed routes.

3. LOCATION OF EXISTING WELLS

- A. Water wells-None
- B. Abandoned wells-None
- C. Temporarily abandoned wells-None
- D. Disposal wells-None
- E. Drilling wells-DC 4-17, Gas well.
- F. Producing wells- Section 8, DC 41-8GR, Section 17, DC 24-17GR, Section 20, Cige 32-22-9-20, Sun 2 S.O., NBU 21-20B, Section 21, CIGE 28, (NBU 34-Y) ND 10-21GR, ND 11-21GR, ND 4-21GR, NBU 19-21B. River Junction Unit, Phillips RJ 1 & RJ 2.
- G. Shut in wells-none
- H. Injection wells-None
- I. Monitoring wells-None

4. LOCATION OF EXISTING AND PROPOSED FACILITIES

- A. Existing production facilities located within one mile of the proposed well are:
 - 1. Tank batteries-Section 16, DC 7-16GR, DC 3-16GR, DC 14-16GR, DC 5-16GR, DC 11-16GR, DC 6-16GR, DC 16-16GR. Section 21, ND 4-21, CIGE 28-21-9-20.
 - Production Facilities: Section 8, DC 41-8GR, Section 17, DC 24-17GR, Section 20, Sun 2 S.O., CIGE 32, NBU 21-20B, Section 21, ND 11-21GR, ND 10-21GR, ND 4-21GR, NBU 19-21B, CIGE 28 (NBU 34-Y) Section 16, DC 8-16GR, DC 7-16GR, DC 17-16GR DC 3-16GR, DC 16-16GR, DC 14-16GR, DC 15-16GR, DC 5-16GR, DC 11-16GR, DC 6-16GR, DC 18-16, DC 10-16GR.
 - 3. Oil Gathering Lines: Buried oil line from DC 15-16GR to DC 5-16GR, DC 8-16GR to DC 7-16GR, and DC 17-16GR to DC 7-16GR.
 - 4. Gas gathering lines- Northwest Pipeline's gas gathering lines.
 - 5. There are no injection lines in this area.
 - 6. There are no disposal lines in the area.

See attached Duck Creek-Natural Duck Fields map for location of the above.

B. Attached to each individual APD is a diagram marked "B" showing the production facilities to be utilized in the event of production of oil. All production facilities, tank batteries, separators, de-hys, etc., will be kept on the location pad.

Construction materials will be native borrow or cut exposed on the site and will be consistent with accepted oilfield standards and good engineering practices.

A three strand barbed wire fence will be constructed and maintained around any disposal pits during the drilling and completion phase of the well. When these pits are no longer needed or within 90 days, they will be covered over with native borrow material and rehabilitated to conform with the provisions of the rehabilitation agreement of BIA standards.

Guard rails will be constructed around the wellhead to prevent access to livestock or wildlife.

Rehabilitation of the pits is discussed above. The remaining pad not used for producing operations will be recontoured to conform with the natural grade and covered with topsoil saved on the site. This area will be reseeded as per BIA specifications.

5. LOCATION AND TYPE OF WATER SUPPLY

- A. Water to be used to drill these wells will be hauled by truck from the White River. Access point for the water will be near the White River Bridge, Section 4, T9S, R2OE, Uintah County, Utah. Permit for this water will be purchased from the Bureau of Indian Affairs, prior to the drilling operations.
- B. Water will be hauled by truck (Liquid Transport of Duchesne, Utah, PSC #1969) on the above described access routes. See access routes on Topo Maps "B", attached to each APD. No new roads or pipelines will be needed for this purpose.
- C. No water wells will be drilled.

6. SOURCE OF CONSTRUCTION MATERIALS

- A. All construction materials for these locations and their access roads will be native borrow rock and soil, accumulated during the construction. No additional road gravel or pit lining materials are anticipated at this time, but if they are required, appropriate action will be taken to acquire them from private sources after notification is given to the proper regulatory agencies.
- B. Items described in part "A" are from BIA regulated lands.
- C. See part "A".
- D. No other access roads are required, other than described in Item 2.

7. METHODS OF HANDLING WASTE DISPOSAL

A. Drill cuttings, drilling fluids, salts, chemicals, and produced fluids will be disposed of in the reserve pits on the location pads.

- B. See "A" above for disposal of drilling fluids.
- C. See "A" above for disposal of produced water.
- D. A portable chemical toilet will be provided for human waste during the drilling phase.
- E. Garbage and other waste materials will be contained in a wire mesh cage and then disposed of in an approved waste disposal facility.
- F. Immediately after the drilling rig moves off the location, the remaining trash and garbage will be collected and hauled away by truck. The reserve pit will be fenced on the open side to protect domestic animals and wildlife. This pit will be utilized during the completion and testing phase of the well for storage of produced fluids.

8. ANCILLARY FACILITIES

No airstrips or camps are planned for these wells.

9. WELL SITE LAYOUT

See the Location Layout sheets attached to the individual APD's which show the following items:

- A. Cross section of the pad, showing details of the cuts and fills.
- B. Location of the reserve pits, pipe racks, living facilities and topsoil stockpile.
- C. Rig orientation, parking areas and access road.
- D. Pits will be lined to conserve water and will be fenced on the fourth side at the completion of operations. Proper NTL-2B notices will be filed if the wells produce water.

10. PLANS FOR RESTORATION OF SURFACE

In the event of a dry hole, pits will be allowed to dry and will then be backfilled and waste pits will be backfilled. The location will be restored to as near the original contour as feasible and then reseeded.

1. Upon completion of the testing phase of the well, the areas not needed for access to the well and used for producing operations will be filled and recontoured to blend with the surrounding topography and the stockpiled soil redistributed over the unused disturbed area. After final plugging and abandonment of the well, the entire disturbed area will be contoured and topsoil spread over any previously disturbed area.

- 2. The revegetation of the drill site area and access not needed to carry on production operations will be reseeded with a seed mixture recommended by the BIA. It will be performed at a time of the year when the moisture content of the soil is adequate for germination. The Lessee agrees that all of the clean up and restoration activities shall be done in a diligent and timely manner and in conformity with the above mentioned Items 7 and 10 (1).
- 3. All pits will be fenced prior to disposal of any waste material and the open side of the reserve pit will be fenced before removing the rig from location. The fences will be maintained in good condition until Item (1) is started.
- 4. Any oil or condensate on any temporary pit will be removed in a timely manner. Overhead flagging or netting will be installed on any sump pit used to handle well fluids during the producing life of the well.
- 5. Restoration activities will begin within 90 days after the completion of the well. Once completion activities have begun, they will be completed within 30 days. All wellhead and surface equipment will be painted to blend with the environment, according to BIA specifications.

11. OTHER INFORMATION

Topography of the general area is relatively flat, rolling terrain, consisting of clay and stabilized sand dunes.

Vegetation in the area consists of four-wing saltbrush, tumble-weed, cotton-horn horsebrush, spiny hop sage, curly grass, match-weed, greasewood and a sparse population of Indian ricegrass.

Livestock grazing, mineral exploration and production are the only surface use activities in the area. All lands involved with these locations are controlled by the BIA.

There is no water in the immediate vicinity of these locations, the Green River runs 1 to 3 miles to the north of these locations and also 3 to 4 miles to the west. No occupied dwellings or known archeaological or cultural sites are in this area.

12. Belco Development Corporation's representative for these operations will be Mr. J. C. Ball, District Engineer, P. O. Box X, Vernal, Utah, 84078, telephone #1-801-789-0790.

13. CERTIFICATION

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill sites and access routes; that I am familiar with the conditions which presently exist, that the statements made in this Plan are to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Belco Development Corporation, it's contractors and subcontractors in conformity with this Plan and the terms and conditions under which it is approved.

DATE 4-30-8/

J. C. BALL

District Engineer

WELL NAME: DUCK CREEK 58-8GR

LOCATION: NW/SW Section 8, T9S, R20E, Uintah County, Utah

1. FIREARMS:

Employees of Belco Development Corporation, it's contractors and subcontractors have been instructed not to carry firearms on the Uintah and Ouray Indian Reservation.

2. OFFROAD TRAFFIC:

Employees of Belco Development Corporation, it's contractors, and subcontractors have been instructed to remain only on established roads and well sites.

3. FIREWOOD:

Employees of Belco Development Corporation, its contractors and subcontractors have been notified of the requirements of the Bureau of Indian Affairs to obtain a wood permit from the Forestry Section before gathering any wood on the Uintah and Ouray Indian Reservation.

4. RESTORATION:

All topsoil will be stripped and stockpiled. When all drilling and production activities end or if abandonment is required, the location site and access road will be reshaped to the original contour and stockpiled soil spread over the disturbed area. Any drainages rerouted during the construction activities shall be restored as near as possible to their original line of flow. Restoration activities shall begin when the pit is sufficiently dry. Once activites have been completed, the location site and access road shall be reseeded with a seed mixture recommended by the Bureau of Indian Affairs when the moisture content of the soil is adequate for seed germination.

5. DISPOSAL OF PRODUCED WATERS:

No produced water is anticipated. However if water is produced, Belco Development Corporation will comply with all requirements of NTL-2B.

6. <u>SIGNS</u>:

A sign stating the following shall be placed on the access road to the location site:

AUTHORIZED PERSONNEL ONLY
BELCO DEVELOPMENT CORPORATION
WELL IDENTIFICATION
FIREARMS ARE PROHIBITED
THIS LAND IS OWNED BY THE UINTAH
AND OURAY INDIAN RESERVATION
PERMITS TO CUT FIREWOOD MUST BE OBTAINED
FROM THE BIA FORESTRY SECTION PRIOR TO
CUTTING OR GATHERING ANY WOOD ALONG THIS ROAD

7. RIGHTS OF WAYS:

Right-of-way and damages will be paid as per the resurvey by Uintah Engineering and their affidavit of completion.

8. PERMITS FOR WATER OR EARTH FILL:

Continue of the second

Water for this operation will be obtained from the White River, near the White River Bridge in Section 4, T9S, R20E. Permit for water will be purchased before the drilling operations commence.

9. WEED CONTROL:

Belco Development Corporation will initiate a plan for controlling noxious weeds alongside the location and road in accordance with BIA specifications.

10. LITTER:

All litter will be contained in a trash cage and removed from the location at the end of drilling and completion activities. The area will be groomed and cleaned before removal of the cage.

11. BENCH MARKS:

A bench mark will be established near the well site, set in concrete with a brass cap showing the well number and the elevation of the site.

DATE: 4-30-8/ Ball

F. C. Ball

District Engineer

** FILE NOTATIONS **

DATE: 3-3-8/
OPERATOR: Belco Petroterm Development Corp.
WELL NO: Duck Creek 58-8GR'
Location: Sec. 8 T. 95 R. 208 County: Wintah
File Prepared: [1] Entered on N.I.D:
Card Indexed: Completion Sheet:
API Number 43-047-31019
CHECKED BY:
Petroleum Engineer: M. J. Mlunder 7/8/8/
Director:
Administrative Aide: as per c-3 spacing, of on
APPROVAL LETTER:
Bond Required: Survey Plat Required:
Order No O.K. Rule C-3
Rule C-3(c), Topographic Exception - company owns or controls acreage within a 660' radius of proposed site
Lease Designation FED Plotted on Map
Approval Letter Written
Hot Line P.I.

July 9, 1981

Belco Development Corp. P. O. Box "X" Vernal, Utah 84078

RE: Well No. Duck Dreek #58-8GR Sec. 8, T. 9S, R. 20E, Uintah County, Utah

Insofar as this office is concerned, approval to drill the above referred to oil well is hereby granted in accordance with Rule C-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to <u>immediately</u> notify the following:

MICHAEL T. MINDER - Petroleum Engineer Office: 533-5771 Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-31019.

Sincerely,

DIVISION OF OIL, GAS, AND MINING

Michael T. Minder Petroleum Engineer

MTM/db CC: USGS



Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

March 3, 1982

Belco Development Corporation P. O. Box X Vernal, Utah 84078

Re: See attached

Gentlemen:

In reference to the above mentioned wells, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill these wells, please notify this Division. If spudding or any other activity has taken place, please send necessary forms. If you plan to drill this location at a later date, please notify as such.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL, GAS AND MINING

Cari Furse Clerk Typist Well No. Duck Creek 56-8GR Sec.8, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #58-8GR Sec. 8, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #54-9 Sec. 9, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #52-16GR Sec. 16, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #43-17GR Sec. 17, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #45-17GR Sec. 17, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #47-17GR Sec. 17, T. 98, R. 20E.
Uintah County, Utah

Well No. Duck Creek #49-17GR Sec. 17, T. 9S, R. 20E. Uintah County, Utah

Well No. Natural Duck #17-20GR Sec. 20, T. 9S, R. 20E Uintah County, Utah

Well No. Natural Duck #19-20GR Sec. 20, T. 9S, R. 20E. Uintah County, Utah

Well No. Natural Duck #21-20GR Sec. 20, T. 9S, R. 20E. Uintah County, Utah

Well No. Natural Duck #23-20GR Sec. 20, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #57-8GR Sec. 8, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #59-8GR Sec. 8, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #55-9 Sec. 9, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #13-17GR Sec. 17, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #44-17GR Sec. 17, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #46-17GR Sec. 17, T. 9S, R. 20E. Uintahi County, Utah

Well No. Duck Creek #48-17GR
Sec. 17, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #18-20Gr Sec. 20, T. 9S, R. 20E. Uintah County, Utah

Well No. Natural Duck #20-20GR Sec. 20, T. 9S, R. 20E. Uintah County, Utah

Well No. Natural Duck #22-20GR Sec. 20, T. 9S, R. 20E. Uintah County, Utah

Well No. Natural Duck #15-21GR Sec. 21, T. 9S, R. 20E. Uintah County, Utah

Belco Development Corporation

Belco

March 8, 1982

State of Utah Division of Oil, Gas and Mining 1588 West North Temple Salt Lake City, Utah 84116

Attn: Cari Furse

RE: See attached list

Dear Ms Furse,

All wells as listed on the attached sheet are being considered by Belco Development Corporation for drilling sometime this year. No activity has taken place on any location as of this date. Belco will notify you when the location is spudded. The Duck Creek 52-16GR well is still waiting on USGS approval.

Sincerely,

Kathy Kautson Engineering Clerk

/kk

cc: File

DECERVED MAR 1 1 1982

DIVISION OF OIL, GAS & MINING

Well No. Duck Creek 56-8GR Sec.8, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #58-8GR ✓ Sec. 8, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #54-9 V Sec. 9, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #52-16GR Sec. 16, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #43-17GR ✓ Sec. 17, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #45-17GR ✓ Sec. 17, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #47-17GR / Sec. 17, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #49-17GR ✓ Sec. 17, T. 9S, R. 20E. Uintah County, Utah

Well No. Natural Duck #17-20GR Sec. 20, T. 9S, R. 20E
Uintah County, Utah

Well No. Natural Duck #19-20GR ~ Sec. 20, T. 9S, R. 20E. Uintah County, Utah

Well No. Natural Duck #21-20GR Sec. 20, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #23-20GR
Sec. 20, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #57-8GR Sec. 8, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #59-8GR Sec. 8, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #55-9 Sec. 9, T. 9S, R. 20E. V Uintah County, Utah

Well No. Duck Creek #13-17GR Sec. 17, T. 9S, R. 20E. ✓ Uintah County, Utah

Well No. Duck Creek #44-17GR Sec. 17, T. 9S, R. 20E, Uintah County, Utah

Well No. Duck Creek #46-17GR Sec. 17, T. 9S, R. 20E. Uintah County, Utah

Well No. Duck Creek #48-17GR Sec. 17, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #16-20GR Sec. 20, T. 9S, R. 20E. ✓ Uintah County, Utah

Well No. Natural Duck #18-20Gr Sec. 20, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #20-20GR Sec. 20, T. 9S, R. 20E. Uintah County, Utah

Well No. Natural Duck #22-20GR Sec. 20, T. 9S, R. 20E. Uintah County, Utah

Well No. Natural Duck #15-21GR Sec. 21, T. 9S, R. 20E. Uintah County, Utah

Oil and Gas Operations 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104

June 10, 1982

Belco Development Corporation P.O. Box X Vernal, Utah 84078

Re: Rescind Applications for Permit to Drill
Well Nos. 58-8, 59-8 & 15-21
Sections 8 & 21-T9S-R20E
Uintah County, Utah
Lease Nos. U-38398 & U-0144869
respectively.

Centlemen:

The Applications for Permit to Drill the referenced wells were approved in June, 1981. Since that date no known activity has transpired at the approved locations. Under current District policy, applications for permit to drill are effective for a period of one year. In view of the foregoing this office is rescinding the approval of the referenced applications without prejudice. If you intend to drill at these locations at a future date, new applications for permit to drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made at these drill sites. Any surface disturbance associated with the approved locations of these wells will be rehabilitated. A schedule for the rehabilitations must then be submitted to this office. Your cooperation in this matter is appreciated.

Sincerely,

E. W. Guynn District Oil & Gas Supervisor

bcc: SMA

State O&G State BLM
MMS-Vernal
Well File
APD Control

DH/dh